Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLESALE PRICE LIST

To the Trade

1939 -: 1940



ESTABLISHED 1878

LEONARD COATES NURSERIES


WHOLESALE GROWERS OF

Evergreen and Deciduous Ornamentals - Conifers -Lining-Out Stock - Rose Stocks - Budded Roses -Budded Fruit Trees and Fruit Tree Seedlings - - -

Nurseries and Salesyards at Oakland, Morgan Hill, Santa Cruz and Brentwood



Main Office and Salesyard
SAN JOSE
CALIFORNIA



★ Main Office and Salesyard

Growing Grounds and Salesyards

LEONARD COATES NURSERIES, INC.

NURSERYMEN - FLORISTS

San Jose, California

Terms, Conditions and Organization

OUR POLICY

Is to grow the best, and we endeavor at all times to live up to it.

To grow quality nursery stock we must give it extra care. This entails additional expense. However, due to our facilities to produce on a large scale our prices are "attractive" to those who desire to get "the best" at a moderate price.

Our "container" stock is clean, healthy and not root bound. Our "Balled" stock is not

old or overgrown, while our "Deciduous" stock is freshly grown each year.

TERMS

All prices are net: 2% discount for cash with order. All bills due and payable 60 days from date of invoice, unless otherwise arranged. Interest at the rate of 7 per cent will be charged after 60 days.

QUANTITY RATES

5 at the 10 rate

25 at the 100 rate

250 at the 1000 rate

PACKING

Packing is done in the most careful way and a charge is made to cover cost of materials only. Our packers have had many years experience.

TRUCK DELIVERIES

With a fleet of FIVE TRUCKS we can make prompt deliveries to all parts of California at a very nominal cost, which will save our customers boxing, freight and cartage, and also eliminate extra handling of plants.

GUARANTEE

While we exercise the greatest care to have all stock true to name, we give no warranty, express or implied, and in event that stock is proven not true to name, we

shall be liable only for the sum paid for such stock.

CLAIMS

Of any kind will not be allowed unless reported within 10 days after receipt of stock.

NATIVE TREES

The stock of Native Trees and Shrubs we carry cannot be equaled in California. Our nurseries are recognized Headquarters for this class of stock. The demand for native stock is increasing each year and wherever a shortage of water exists this type of plant can be suggested. All natives are preceded with an asterisk (*).

EXPLANATION OF ABBREVIATIONS

B—Balled; B.R.—Bare Root; P—Pot; Qt.—Quart Can; Gal.—One Gallon Can; $2\frac{1}{2}$ g—Two and one half Gallon Can; 5g—Five Gallon Can; Ft.—Feet; and In.—Inches.

APPRECIATION

We wish to again express our appreciation for the increased patronage given us by our many wholesale customers. This increase has justified our feeling that there is still a market for High Grade, Quality Nursery stock at a fair price.

VISIT OUR NURSERIES

We have three principal growing grounds, or Nurseries, located at Morgan Hill, Santa Clara County; Santa Cruz, Santa Cruz County; and Brentwood, Contra Costa County, with our Main Office, Floral Store and Salesyard at 2201-2205 The Alameda, San Jose, on the main San Francisco Highway, between San Jose and Santa Clara.

At Morgan Hill we have our propagation houses for cuttings and seedage, as well as lathhouses where all the stock in containers is grown. At this nursery we grow over three hundred thousand plants. The climate at Morgan Hill is warmer than most parts of Santa Clara Valley and with plenty of water is conducive to very favorable plant growth.


At Santa Cruz we have twelve acres where eighty thousand field grown, or "balled" plants are produced under most favorable growing conditions. This section was designated by the late Luther Burbank as being the best in California for the largest variety of plants.

At Brentwood, where we have three locations, all deciduous fruit stock, roses and fruit tree seedlings are grown. On the highlands we grow the budded fruit trees and roses in loany soil, while the seedlings are grown under Delta peat conditions. The former with plenty of water and heat produces ideal fruit trees in a section free from Peach Root Borer, and the latter, which is sub-irrigated, develops a splendid fibrous branched root system.

Our location at San Jose is the main distributing point and acts as a hub in the center of the nursery locations. We believe the favorable conditions under which our stock is grown and the years of experience back of our employees put us in a position to cater to those who want the best.

LEONARD COATES NURSERIES, INC.

Established 1878



SAMPLES OF OUR BALLED EVERGREEN STOCK

EVERGREEN TREES AND SHRUBS

a larger and we think better assortment of varieties than ever before. All of our stock both in the field and in containers is carefully grown quality stock you can recommend to your customers without hesitation.

ABELIA floribunda (Red)	rate ach ACACIA cultriformis 10 rate 100 rate Each Each
12 to 18 in. Gal	(Knife Blade Acacia) 18 to 24 in. Qt
ABELIA schumani (Pink)	3 to 4 ft. Gal
12 to 15 in. Gal	12 to 18 in. Qt
ABUTILON megapotamicum (Japanese Lantern) 18 to 24 in. Gal	8 to 10 ft. 5g
ACACIA baileyana	4 to 5 ft. Gal
2 to 2½ ft. Qt	5 to 6 ft. Gal
ACACIA baileyana purpurea	5 to 6 ft. Gal
An attractive variety of the preceding which originated in our nurseries. The new growth is a decided purple; and the whole tree has a purple tinge. 2 to 2½ ft. Qt	ACACIA podalyraefolia (Pearl Acacia) The first of the acacias to bloom, very large golden flowers.

	_		100 rate Each
ACACIA pravissima Exceedingly hardy			
for dry hillside planting 2 to 3 ft. Qt			.20
4 to 5 ft. Gal 7 to 8 ft. 5g		.40 1.25	.35



ACACIA CULTRIFORMIS, ACACIA BAILEY-ANA, ACACIA SALIGNA, ACACIA EXTENSA

ANA, ACACIA SALIGNA, ACACIA	A EXI	ENSA
ACACIA pycnantha (Golden W 18 to 24 in. Qt	.25	
ACACIA saligna (Willow Acac 18 to 24 in. Qt 3 to 4 ft. Gal	.25	.20 .35
ACACIA verticillata (Star Acac 18 to 24 in. Qt	.20 .35	.17½ .30
9 to 12 in. Gal	.30 .85	.25
*ADENOSTOMA fasciculatum 12 to 18 in. Gal		
*ARCTOSTAPHYLLOS numm 9 to 12 in. Gal		.45

*ARCTOSTAPHYLLOS hookeri

A Creeping Manzanita which makes one of the most satisfactory ground covers. Grows only about a foot high and will make a spread of 6 or 8 feet. Has small bright green foliage, forms a dense mat, and is not as particular about location and drainage as most Manzanitas. Blooms quite heavily in Spring, clusters of light pink flowers.

		100 rate
*ARBUTUS menziesi (Madron	Each (e)	Each
6 to 9 in. 4p 12 to 18 in. Gal	.30 .50	.25 .45
ARBUTUS unedo (Strawberry	Tree)	25
12 to 18 in. Gal	.85	.25 .75
2 to 2½ ft. B*ARCTOSTAPHYLLOS glaud	1.00	.90
12 to 18 in. Gal	.50	.45
ASTER fruticosa (Shrub Aste	r)	
A hardy low growing shrub,	with	small
foliage and attractive single pi		.25
18 to 24 in. 5g	.85	
*ATRIPLEX breweri (Salt Bu 12 to 18 in. Gal	ish) .35	.30
AUCUBA japonica variegata (Gold Dust Plant)		
9 to 12 in. Gal	.35	.30
AZARA microphylla		
18 to 24 in. Gal BERBERIS darwini	.35	.30
12 to 18 in. B	.65	.60
18 to 24 in. B	.85	.75
12 to 18 in. Gal	.35	.30
BERBERIS knighti 12 to 18 in. Gal	.30	.25
18 to 24 in. B	.85	.75
12 to 18 in. Gal	.35	.30
BERBERIS stenophylla 12 to 18 in. Gal	.30	.25
BERBERIS triacanthophora 12 to 18 in. B	75	.70
BERBERIS verruculosa		
9 to 12 in. Gal BERBERIS wilsoni	.30	.25
12 to 15 in. Gal	.25 .85	.20
18 to 24 in. BBRACHYSEMA lanceolatum		
12 to 18 in. Gal	.40	.35
BUDDLEIA davidi-veitchi 18 to 24 in. Gal	.25	.20
BUDDLEIA globosa 18 to 24 in. Gal	.25	.20
BUDDLEIA lindleyana		
12 to 18 in. Gal BUDDLEIA magnifica	.25	.20
2 to 2½ ft. Gal	.25	.20
BUDDLEÍA superba 18 to 24 in. Gal	.25	.20
CALLISTEMON lanceolatus 12 to 18 in. Qt	.20	.17 ½
CALLISTEMON rigidus 12 to 18 in. Qt	.20	.171/2
18 to 24 in. Gal 4 to 5 ft. 5g	.30	.25
CALLISTEMON speciosus		
12 to 18 in. Gal 4 to 5 ft. 5g		.25

4 LEON
10 rate 100 rate Each Each
*CARPENTERIA californica
12 to 18 in. Gal
CASSIA artemesoides 12 to 18 in. Gal
CASSIA tomentosa 2 to 3 ft. Gal
(Chinquapin) 9 to 12 in. Gal
CASUARINA stricta (Beefwood)
18 to 24 in. Qt
4 to 5 ft. Gal
6 to 8 ft. 5g 1.15 1.00
*CEANOTHUS arboreus
2 to $2\frac{1}{2}$ ft. Gal
*CEANOTHUS arboreus hybrida
2 to $2\frac{1}{2}$ ft. Gal
4 to 5 ft. 5g 1.00
*CEANOTHUS crassifolius
12 to 18 in. Gal
Long spikes of very deep blue flowers, blooms late, after other varieties are through. 2 to 2½ ft. Gal
*CEANOTHUS impressus (Santa Barbara Ceanothus) One of the very finest Ceanothus; growth is low and spreading, usually gets about 4 to 6 feet in height and 6 to 10 feet broad. The foliage is rather small, dark green and roughened. The flowers are quite large and a very attractive deep blue. 18 to 24 in. Gal
*CEANOTHUS macrocarpus (White) 18 to 24 in. Gal
*CEANOTHUS papillosus A dense bushy variety, seldom growing over five feet, leaves dark green, thick and roughened. Flowers borne profusely, rich deep blue.

.45

tive of shrubs. The foliage is altogether different from most varieties of Ceanothus; small, glossy, dark green, like miniature English Holly leaves. It grows low and spreading usually about three feet tall and about five feet broad and is covered in early Spring with deep blue flowers. Likes a well drained soil, a perfect shrub for

*CEANOTHUS purpureus
We consider this one of the most

covering banks.



CEANOTHUS	PAPILLOSUS
CCANOLILOS	TALIDLOSOS

CEANOTHUS PAPILLOSUS	
	e 100 rate Each
*CEANOTHUS rigidus 12 to 18 in. Gal	.35
*CEANOTHUS spinosus 2 to 2½ ft. Gal	.30
*CEANOTHUS thyrsiflorus (Blue Blossom) 2 to 2½ ft. Gal	.25
*CEANOTHUS thyrsiflorus griseus Lower growing and more dense the type, leaves more rounded and of green. Flower panicles large and con deep blue. 2 to 2½ ft. Gal	than deeper
*CEANOTHUS verrucosus (White) 12 to 18 in. Gal	.35
CERATONIA siliqua (Carob) 18 to 24 in. Gal	.30
CERATOSTIGMA willmotiana (Chinese Plumbago) 18 to 24 in. Gal	.30
(Mt. Mahogany) 18 to 24 in. Gal	.35
CESTRUM elegans 18 to 24 in. Gal	.25
CHOISYA ternata (Mexican Orang 12 to 15 in. Gal	.25 .60 .80 1.00 Oak) .25
CISTUS albidus (Pink Rock Rose) 12 to 18 in. Gal	


CISTUS corbariensis (White)

9 to 12 in. Gal.....

.25


.30

10 rate 100 rate Each Each		10 rate Each	100 rate Each
	CORONILLA emerus		Buch
CHORIZEMA varium	12 to 18 in. Gal	.30	.25
Has larger foliage and even more bril-	CORONILLA glauca		
liant flowers than Chorizema ilicifolia.	12 to 18 in. Gal	.30	.25
12 to 18 in. Gal	CORONILLA glauca variegata	l	2 =
	12 to 18 in. Gal	.30	.25
CINNAMOMUM camphora	CORREA alba		
(Camphor Tree)	12 to 18 in. Gal	.35	.30
	COTONEASTER acuminata		
The finest evergreen street tree for California. Hardy, symmetrical tree with	$2\frac{1}{2}$ to 3 ft. B	.75	.70
clean bright foliage, new growth bronze.	3 to 4 ft. B	.85	.75
	COTONEASTER dammeri		
18 to 24 in. Qt	12 to 15 in. Gal	.30	.25
3 to 4 ft. Gal	COTONEASTER franchetti		
4 to 5 ft. Gal	12 to 18 in. Gal	.25	.20
6 to 7 ft. 5g 1.40 1.25	3 to 4 ft. B		.75
CISTUS ladaniferus maculatus	COTONEASTER gracilis		
(Spotted Rock Rose)	12 to 15 in. Gal	.35	.30
12 to 15 in. Gal	COTONEASTER heroveana		
CISTUS purpureus (Orchid Rock Rose)	12 to 18 in. Gal	.25	.20
12 to 18 in. Gal	2 to 3 ft. B		. 7 0
2 to 2½ ft. 5g	COTONEASTER horizontalis	., .	•••
	6 to 8 in. 4p	.20	$.17\frac{1}{2}$
CISTUS salvifolius (White) 12 to 18 in. Gal	12 to 18 in. Gal	.30	.25
	15 to 18 in. B	.75	.70
CISTUS villosus rosea (Rose) 12 to 18 in. Gal	COTONEASTER microphylla		
	12 to 18 in. Gal	.25	.20
*COMAROSTAPHYLLIS diversifolia	18 to 24 in. B		.75
12 to 18 in. Gal	COTONEASTER microphylla		
$2\frac{1}{2}$ to 3 ft. 5g	9 to 12 in. Gal		.25
CONVOLVULUS cneorem	COTONEASTER pannosa	.00	.20
(Silver Bush)	12 to 18 in. Gal	25	.20
A low growing very hardy shrub, with	3 to 4 ft. Gal		.25
silvery foliage and large white flowers.	3 to 4 ft. B		.65
Will do well in hot dry locations.	4 to 5 ft. B		.90
12 to 15 in. Gal	COTONEASTER pannosa nan-		
•	12 to 18 in. Gal		.30
COPROSMA baueri (Mirror Plant)	COTONEASTER parnayi		
12 to 18 in. Gal	12 to 18 in. Gal	.25	.20
18 to 24 in. B	18 to 24 in. Gal		.25
2 to 2½ ft. B	2 to 2½ ft. B	.75	.70
COPROSMA baueri variegata	3 to 4 ft. B	85	.75
12 to 18 in. Gal	COTONEASTER rotundifolia (
CORNUS capitata (Evergreen Dogwood)	6 to 9 in. 4p		$.17\frac{1}{2}$
2 to $2\frac{1}{2}$ ft. Gal	12 to 15 in. Gal	.30	.25
			٦



100	10	- 4 10	0 ,
10 rate 100 ra te Each Each		rate 10 ach - F	o rate Each
COTONEASTER salicifolia	• CADDIND CONFIGURE : : 1		
12 to 18 in. Gal	*DENDROMECON rigida (Yellow Bush Poppy)		
12 to 18 in. Gal	A fine shrub for dry places,	cove	red
2 to 3 ft. B	nearly all summer with bright		
CYTISUS canariensis	poppy like flowers.	0 1	- 1
(Canary Island Broom) 18 to 24 in. Qt	12 to 18 in. Gal	U .4.	5 I
2 to 2½ ft. Gal	DIOSMA ericoides (Breath of He	eaven)	
OXAMICITO 1 11;;	9 to 12 in. Gal		.25
CYTISUS dallimorei	12 to 18 iii. B	.00	
Fine foliage, growth dense and compact, covered in Spring with golden	DIOSMA pulchrum (Pink)		Ĭ
bronze flowers.	Covered in late Winter and Spi	ring w	rith
9 to 12 in. Gal	small bright pink flowers. Hard	dier th	nan
CYTISUS fragrans (Sweet Broom)	the white Breath of Heaven.	0 2	_
18 to 24 in. Qt	12 to 15 in. Gal		
2 to 2½ ft. Gal	•		
CYTISUS fulgens 12 to 18 in. Gal	ECHIUM fastuosum (Pride of Ma 9 to 12 in. Gal	adeira)	
12 to 18 in. Gal		.35 .	.30
CYTISUS multiflorus alba	ELAEAGNUS pungens 18 to 24 in. Gal	30	.25
(Portugal Broom)	2 to 3 ft. B		.75
12 to 18 in. Ga ¹	ELAEAGNUS pungens maculata		
3 to 4 ft. 5g 1.00	(Gold Center)		4.0
CYTISUS newreyensis	12 to 18 in. Gal		.40
Large blossoms, color in combination	ELAEAGNUS pungens marginat		
of light yellow and rich red.	(Silver Edged)		
12 to 18 in. Gal	12 to 18 in. Gal		.30
18 to 24 in. 5g 1.00	18 to 24 in. B	.05 .	.75
CYTISUS pomona	ERICA blanda		•
Strong grower, very profuse bloomer,		actory	of
Strong grower, very profuse bloomer, blossoms are orange and rose.	The hardiest and most satisfathe tubular flowered heathers. Lo	ow gro	ow-
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loing, red flowers, in bloom a la	ow gro	ow-
Strong grower, very profuse bloomer, blossoms are orange and rose.	The hardiest and most satisfathe tubular flowered heathers. Loing, red flowers, in bloom a la of the year.	ow gro arge p	ow- part
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loing, red flowers, in bloom a la of the year. 18 to 24 in. B	ow gro arge p	ow- part
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow grounger property of the second of the se	ow- part 0
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow grounger property of the second of the se	ow- part
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow groarge p 0 .70	0 .65
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow groarge p 0 .70	ow- part 0
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow groarge p 0 .70 .70 .	0 .65
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow groarge p 0 .70 .70 .	0 .65
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow grown arge power powe	0 .65 .65
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow grown arge power powe	0 .65 .65
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow grown gro	0 .65 .65 .65
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow growarge power of the control of	0 .65 .65
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow grown gro	0 .65 .65 .65 .70
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow grown arge power powe	0 .65 .65 .65
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow groarge p 0 .70 .70 .65 .30 .70 .75 .75 .85	0 .65 .65 .60 .25 .65 .70
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow growarge power of the control of	0 .65 .65 .65 .70 .75
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow growarge power of the control of	0 .65 .65 .60 .25 .65 .70
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow groarge p 0 .70 .70 .65 .30 .75 .75 .85 .65 .85	0 .65 .65 .65 .70 .75
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow groarge p 0 .70 .70 .65 .30 .75 .75 .85 .65 .85	0 .65 .65 .65 .70 .75
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow groarge p 0 .70 .70 .70 .75 .75 .85 .65 .85	0 .65 .65 .60 .70 .75 .60 .75 .60
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a latof the year. 18 to 24 in. B	ow growarge power of the control of	0 .65 .65 .65 .70 .75
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a late of the year. 18 to 24 in. B	ow growarge power of the control of	0 .65 .65 .65 .70 .75 .60 .75 .60 .75
Strong grower, very profuse bloomer, blossoms are orange and rose. 18 to 24 in. Gal	The hardiest and most satisfathe tubular flowered heathers. Loting, red flowers, in bloom a late of the year. 18 to 24 in. B	ow groarge p 0 .70 .70 .70 .75 .75 .85 .65 .85 .65 .75	0 .65 .65 .65 .70 .75 .60 .75 .60 .75

10 rate 100 rate	10 rate 100 rate
ERICA regerminans rubra	EUCALPYTUS polyanthemos
12 to 15 in. B	(Round Leaf)
18 to 24 in. B	12 to 18 in. Qt
ERIOBOTRYA japonica (Loquat) 18 to 24 in. Gal	3 to 4 ft. Gal
16 to 24 III. Gai	7 to 8 ft. 5g 1.25
*ERIOGONUM arborescens (Pink)	9 to 12 in. Flats
Grows about two feet high and four feet broad, covered in Summer and Fall	EUCALYPTUS rostrata (Red Gum)
with light pink flowers. Will grow in the	2 to 2½ ft. Qt
hottest, driest locations.	7 to 8 ft. 5g 1.25
12 to 15 in. Gal	9 to 12 in. Flats
*ERIOGONUM giganteum	EUCALYPTUS rudis (Desert Gum) 18 to 24 in. Qt
12 to 18 in. Gal	4 to 5 ft. Gal
*ERIOGONUM rubescens (Red) 12 to 15 in. Gal	7 to 8 ft. 5g
•	
*ERIOGONUM umbellata (Yellow)	EUCALYPTUS sideroxylon rosea (Pink Iron Bark)
A fine ground cover for dry situations; grows about eight inches high and two	18 to 24 in. Qt
to two and a half feet broad. Foliage	3 to 4 ft. Gal
gray-green, flowers golden yellow.	9 to 12 in. Flats 2.50
6 to 9 in. Gal	EUCALYPTUS viminalis (Manna Gum)
ESCALLONIA berteriana (White)	18 to 24 in. Qt
18 to 24 in. Gal	7 to 8 ft 5g 1.25
ESCALLONIA ingrami (Red)	9 to 12 in. Flats
12 to 18 in. Gal	EUGENIA myrtifolia 3 to 4 ft. B (Trimmed) 1.15 1.00
2 to 3 ft. B	EUONYMOUS japonicus
12 to 18 in. Gal	9 to 12 in. Gal
ESCALLONIA pterocladon (Red)	2 to 2½ ft. B
18 to 24 in. Gal	(Silver Margined)
18 to 24 in. Gal	9 to 12 in. Gal
ESCALLONIA rosea (Pink) 18 to 24 in. Gal	EUONYMOUS japonicus albo variegatus 12 to 15 in. Gal
18 to 24 in. Gal	2 to 3 ft. B
ESCALLONIA rubra (Red)	EUONYMOUS japonicus aureo marginatus
12 to 18 in. Gal	(Gold Margined) 12 to 18 in. Gal
EUCALYPTUS citriodora (Lemon Gum)	18 to 24 in. B
18 to 24 in. Qt	EUONYMOUS japonicus aureo variegatus
EUCALYPTUS corynocalyx (Sugar Gum)	(Gold Center) 12 to 15 in. Gal
18 to 24 in. Qt	18 to 24 in. B
9 to 12 in. Flats 2.50	EUONYMOUS japonicus microphyllus
EUCALYPTUS ficifolia (Scarlet Gum)	(Dwarf Euonymous) 6 to 8 in. 4p
18 to 24 in. Qt	9 to 12 in. Gal
EUCALYPTUS globuius (Blue Gum)	EUONYMOUS japonicus Pres. Gunthier 12 to 15 in. Gal
2 to 2½ ft. Qt	EUONYMOUS japonicus viridi variegata
7 to 8 ft. 5g 1.25	(Duc D'Anjou)
9 to 12 in. Flats	12 to 15 in. Gal
(Bushy Blue Gum)	12 to 18 in. Gal
2 to 3 ft. Gal	FATSIA japonica (Aralia Sieboldi)
6 to 9 in. Flats	18 to 24 in. Gal
EUCALYPTUS leucoxylon rosea	FEIJOA sellowiana (Pineapple Guava) 12 to 18 in. Gal
(Pink Flowering) 3 to 4 ft. Gal	2 to 2½ ft. B
7 to 8 ft. 5g 1.25	*FREMONTIA californica
6 to 9 in. Flats	18 to 24 in. Gal



FREMONTIA MEXICANA

	10 rate Each	100 rate Each
*FREMONTIA mexicana 2 to 2½ ft. Gal 4 to 5 ft. 5g	.45	.40
*GARRYA elliptica (Silk Tass 12 to 18 in. Gal	el Bus 40	h) .35
*GARRYA fremonti 12 to 18 in. Gal 2 to 3 ft. 5g		.35
GENISTA sagittalis (Creeping 9 to 12 in. Gal	Brooi 35	n) .30
GENISTA monosperma (Bridal Veil Broom) 12 to 18 in. Gal	10	.35
GREVILLEA obtusifolia (Cre 12 to 15 in. Gal	eping)	.25
GREVILLEA robusta (Silk O 3 to 4 ft. Gal	35	.30
GREVILLEA thelemanniana 12 to 18 in. Gal	30	.25
GRISELINIA littoralis 9 to 12 in. Gal	35	.30
HAKEA laurina (Sea Urchin) 3 to 4 ft. Gal 8 to 10 ft. 5g		.30
HAKEA suaveolens 2 to 2½ ft. Gal HOHERIA sexstylosa	35	.30
5 to 6 ft. 5g* *HOLODISCUS discolor (Oce	an Spr	ay)
12 to 18 in. Gal	Flower	r)
HYPERICUM moserianum 12 to 18 in. Gal 18 to 24 in. B	25	.20

	10 rate Each	100 ra Each
ILEX aquifolium (English Holl 9 to 12 in. Gal	.50	.45
2 to 3 ft. B	1.50 2.25	1.35 2.00
9 to 12 in. Gal	.50	
ILEX aquifolium variegata 9 to 12 in. Gal	1.50 2.25	1.35
ILEX cornuta (Chinese Holly) 3 to 4 ft. B	2.25	
ILEX perneyi 12 to 18 in. Gal	.50	.45
ITEA ilicifolia 12 to 18 in. Gal	.35	.30
LAGUNARIA pattersoni 2 to 3 ft. Gal	.35	.30
LAUROCERASUS caroliniana (Carolina Laurel) 18 to 24 in. Gal. 3 to 4 ft. B. 4 to 5 ft. B.	.30	.25
LAUROCERASUS lusitanica (Portugal Laurel) 12 to 18 in. Gal 2 to 2½ ft. B 2½ to 3 ft. B 3 to 4 ft. B	1.00	.25 .85 1.10



HYPERICUM MOSERIANUM (GOLD FLOWER)

10 rate 100 rate Each Each	10 rate 100 rate Each Each
LAUROCERASUS officinalis	LONICERA nitida (Box Honeysuckle)
(English Laurel)	12 to 18 in. Gal
12 to 15 in. Gal	18 to 24 in. B
18 to 24 in, B	(Trimmed Cones)
2 to $2\frac{1}{2}$ ft. B	*LUPINUS arboreus (Yellow Bush Lupine)
$2\frac{1}{2}$ to 3 ft. B	9 to 12 in. Gal
LAURUS nobilis (Grecian Laurel)	*LYONOTHAMNUS floribundus
18 to 24 in. Gal	asplenifolius
3 to 4 ft. B (Trimmed) 2.25 2.00	18 to 24 in. Gal
4 to 5 ft. B (Trimmed) 3.00 2.75	4 to 5 ft. 5g 1.25
LAVANDULA dentata	MAGNOLIA grandiflora
(Cut Leaf Lavender)	(Southern Magnolia)
12 to 15 in. Gal	2 to 3 ft. Gal
LAVANDULA officinalis	3 to 4 ft. B
(English Lavender Blue)	4 to 5 ft. B 1.75
12 to 15 in. Gal	5 to 6 ft. B
LEONOTUS leonorus (Lions Tail)	*MAHONIA aquifolium (Oregon Grape)
12 to 18 in. Gal	12 to 15 in. Gal
LEPTOSPERMUM chapmani	18 to 24 in. B
12 to 18 in. Gal	2 to $2\frac{1}{2}$ ft. B
18 to 24 in. B	MAHONIA bealei
3 to 4 ft. B	(Leather Leaf Holly Grape)
LEPTOSPERMUM laevigatum	12 to 15 in. Gal
(Australian Tea)	MAHONIA ilicifolia compacta
12 to 15 in. Qt	(Dwarf Oregon Grape)
12 to 18 in. Gal	9 to 12 in. Gal
18 to 24 in. B	
$2\frac{1}{2}$ to 3 ft. B	*MAHONIA pinnata
LEPTOSPERMUM nicholi (Red)	(Cluster Holly Grape)
	Leaves holly like, growth dense, does
,	well in either sun or shade.
LEPTOSPERMUM scoparium rubra 12 to 15 in. Gal	12 to 15 in. Gal
1/10 15 111 (-2)	
	2 to 2½ ft. B
LIGUSTRUM acuminatum	0
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape)
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal
LIGUSTRUM acuminatum 18 to 24 in. Gal	*MAHONIA nervosa (Long Leaf Holly Grape) 6 to 9 in. Gal

10 rate 100 rate Each Each
MELALEUCA nesophila (Pink)
12 to 18 in. Gal
12 to 18 in. B
9 to 12 in. Gal
12 to 16 m. Gai
*MIMULUS puniceus (Bush Monkey Flower)
A very showy variety of the Monkey
flower with large flowers ranging from brown to red. Grows about three feet
high, has a long blooming season, stands
heat and drought. 12 to 18 in. Gal
*MYRICA californica (Wax Myrtle) Foliage bright deep green, a fine shrub
for hedges in cooler locations.
12 to 18 in. Gal
4 to 5 ft. 5g 1.00
MYRSINE africana
9 to 12 in. Gal
MYRTUS communis 12 to 15 in. Gal
18 to 24 in. B
2 to $2\frac{1}{2}$ ft. B
10 to 12 in. Gal
MYRTUS communis microphylla
12 to 15 in. Gal
18 to 24 in. B
9 to 12 in. Gal
MYRTUS communis variegata 12 to 15 in. Gal
18 to 24 in. B
MYRTUS ugni (Chile Guava) 12 to 15 in. Gal
18 to 24 in. B
NANDINA domestica (Sacred Bamboo) 6 to 9 in. 4p
12 to 18 in. Gal
2 to 3 ft. B
3 to 4 ft. B
Dbl. Pink, Dbl. Red, Dbl. Salmon, Dbl.
White, Single Crimson, Single Deep Rose, Single White.
12 to 18 in. Gal
OSMANTHUS aquifolium
(Holly Osmanthus) $2\frac{1}{2}$ to 3 ft. B 1.50
OSMANTHUS fragrans (Sweet Olive)
OSTEOMELES anthyllidifolia
12 to 15 in. Gal
(Jerusalem Thorn)
2 to 3 ft. Gal



NANDINA DOMESTICA

		100 rate
*PENTSTEMON antirrhinoide 12 to 18 in. Gal	s (Ye	Each ellow) 30
*PENTSTEMON cordifolius (Scarle	et)
12 to 18 in. Gal* *PENTSTEMON heterophyllus		.30
(Blue Bedder) 9 to 12 in. Qt 12 to 18 in. Gal	.20	
PHILADELPHUS mexicanus	.30	.23
(Evergreen Mock Orange) 18 to 24 in. Gal	.30	.25
*PHOTINIA arbutifolia (Toyo	n) .20	.171/2
12 to 18 in. Gal 18 to 24 in. 2½g	.35 .75	.30 .70
2 to 2½ ft. 5g PHOTINIA serrulata (Chinese		1.00 on)
2 to 3 ft. B 3 to 4 ft. B 4 to 5 ft. 5g	.85 1.00	
PHOTINIA serrulata nova 12 to 18 in. Gal	.35	.30
2 to 3 ft. B	.85 1.00	.75 .90
4 to 5 ft. 5g* *PICKERINGEA montana	1.25	
(Chaparral Pea) 9 to 12 in. Gal	.50	.45
PIMELIA ferruginea 12 to 15 in. Gal	.35	.30
PITTOSPORUM crassifolium 9 to 12 in. Gal	.30	.25
2 to 3 ft. B	.85	.75
4 to 5 ft. B	1.15	
PITTOSPORUM eugenioides 6 to 9 in. Qt	.20	.15
2 to 3 ft. B	.80	.25 .70
3 to 4 ft. B	1.25	.90 1.10
PITTOSPORUM phylleraeoides		
(Willow Pittosporum) 18 to 24 in. Gal	.30	.25

	10 rate Each	100 rate Each
PITTOSPORUM tenuifolium (Nigrio	
12 to 15 in. Qt	.20	.15
18 to 24 in. Gal		.25
3 to 4 ft. B 4 to 5 ft. B		
5 to 6 ft. B		1.00
6 to 7 ft. B	2.00	
7 to 8 ft. B	2.50	
PITTOSPORUM tobira	20	25
12 to 15 in. Gal 12 to 18 in. B	.30 .70	.25 .65
18 to 24 in. B	.85	.03 .75
2 to 2½ ft. B	1.00	.90
PITTOSPORUM tobira varieg	ata	
9 to 12 in. Gal	.30	.25
12 to 18 in. B	.75	.70
PITTOSPORUM undulatum		
(Orange Pittosporum) 2 to $2\frac{1}{2}$ ft. B	.85	
POLYGALA dalmaisana	.03	
12 to 15 in. Gal	.30	.25
12 to 18 in. B	.65	.60
18 to 24 in. B		.75
PROSTANTHERA rotundifolia		
12 to 18 in. Gal	.50	.45
*PRUNUS ilicifolia (Wild Cher		.15
9 to 12 in. Qt 18 to 24 in. Gal	.35	
3 to 4 ft. 2½g	.80	.70
4 to 5 ft. 5g	1.15	
*PRUNUS lyoni (Catalina Islan	d Che	rry)
9 to 12 in. Qt		
18 to 24 in. Gal	.33 80	.30 70
3 to 4 ft. $2\frac{1}{2}g$	1.15	1.00
PSIDIUM cattleianum (Strawb		
12 to 18 in. Gal		
15 to 18 in. B	.70	.05
PUNICA granatum nana		
(Dwarf Pomegranate) 9 to 12 in. Gal	.30	.25
PYRACANTHA angustifolia	• • •	,_,
12 to 18 in. Gal	.25	.20
2 to 2½ ft. B	.85	.75
PYRACANTHA coccinea	2.0	25
12 to 18 in. Gal		.25
12 to 15 in. Qt		$.17\frac{1}{2}$
12 to 18 in. Gal	.30	.25
2 to 3 ft. B	.85	.75
3 to 4 ft. B	1.00	.90
PYRACANTHA crenulata	20	171/
12 to 18 in. Qt 18 to 24 in. Gal	.25	.20
18 to 24 in. B	.85	.75
PYRACANTHA crenulata yunr	anens	is
12 to 15 in. Qt	.20	$.17\frac{1}{2}$
12 to 18 in. Gal 18 to 24 in. B		.20 .65
2 to 3 ft. B	.85	.03 .75
PYRACANTHA formosana sple 12 to 18 in. Gal	ndens	
12 to 18 in. Gal	.35	.30
2 to 2½ ft. B PYRACANTHA rodgersiana au	.85 rantia	.75
18 to 24 in. Gal	.35	.30
PYRACANTHA rosedale		
12 to 18 in. Gal	.35	.30



PYRACANTHA CRENULATA


*QUERCUS agrifolia (California Live	e Oak)
18 to 24 in. Qt	.20
3 to 4 ft. Gal	.35
5 to 6 ft. 5g 1.15	1.00
6 to 8 ft. 5g. 1.40	1.25
*QUERCUS chrysolepis	
(Canyon Live Oak)	
2 to 3 ft. Gal	.45
6 to 8 ft. 5g	
*QUERCUS durata (Leather Oak) 18 to 24 in. Gal	4 =
	.45
QUERCUS suber (Cork Oak)	
2 to $2\frac{1}{2}$ ft. Gal	.35
6 to 8 ft. 5g 1.25	
QUERCUS virginiana (Southern Live	e Oak)
6 to 8 ft. 5g 1.50	,
L*OHEDCHS -:-1-:-:	
*QUERCUS wislezini	
(Interior Live Oak)	
One of the best evergreen oaks,	
metrical rounded head and dense	d 0 44 F
	dark
green foliage.	
green foliage. 18 to 24 in. Qt	.25
green foliage. 18 to 24 in. Qt	
green foliage. 18 to 24 in. Qt	.25
green foliage. 18 to 24 in. Qt	.25
green foliage. 18 to 24 in. Qt	.25
green foliage. 18 to 24 in. Qt	.25 .45
green foliage. 18 to 24 in. Qt	.25 .45 d)
green foliage. 18 to 24 in. Qt	.25 .45 d)
green foliage. 18 to 24 in. Qt	.25 .45 d) .25 .70
green foliage. 18 to 24 in. Qt	.25 .45 d) .25 .70 orn)
green foliage. 18 to 24 in. Qt	.25 .45 d) .25 .70
green foliage. 18 to 24 in. Qt	.25 .45 d) .25 .70 orn) .30
green foliage. 18 to 24 in. Qt	.25 .45 d) .25 .70 orn) .30
green foliage. 18 to 24 in. Qt	.25 .45 d) .25 .70 orn) .30
green foliage. 18 to 24 in. Qt	.25 .45 d) .25 .70 orn) .30 .30
green foliage. 18 to 24 in. Qt	.25 .45 d) .25 .70 orn) .30

10 rate 100 rate	
*RHAMNUS californica crassifolium 12 to 18 in. Gal	
3 to 4 ft. 5g	
*RHAMNUS crocea (Red Berry)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
One of the finest low growing shrubs,	
has small dark green foliage and bright red berries. Does equally well in sun or	
shade. 9 to 12 in. 4p	
*RHAMNUS crocea ilicifolia	
12 to 15 in. Gal	
18 to 24 in. Gal	
12 to 18 in. Gal	
*RHUS laurina (Laurel Sumach) 18 to 24 in. Gal	
*RHUS ovata (Sugar Bush)	. 4
Attractive at all seasons, one of the handsomest and hardiest shrubs for dry plantings or bank covers.	
12 to 18 in. Gal	
ROSMARINUS officinalis (Rosemary)	
12 to 18 in. Gal	SCHIN
SALVIA greggi (Crimson Texas Sage) 18 to 24 in. Gal	VERONI
SALVIA leucantha (Mexican Sage) 12 to 18 in. Gal	9 to 1 VERONI
SCHINUS molle (Pepper Tree) 3 to 4 ft. Gal	(Cypress 9 to 1
7 to 8 ft. 5g	VERONIC 12 to 1
18 to 24 in. Gal	VERONI
18 to 24 in. Qt	9 to 1 12 to
2 to 3 ft. Gal	VERONI 6 to 8
STERCULIA diversifolia (Bottle Tree) 18 to 24 in. Gal	12 to 15 to
TEUCRIUM chamaedrys 12 to 15 in. Gal	VIBURNI 12 to
TEUCRIUM fruticans	VIBURN
TRICUSPIDARIA dependens	(Leather 12 to
5 to 6 ft. 5g	VIBURNI 12 to
18 to 24 in. Gal	18 to 2
ULEX europeus nana (Dwarf Gorse)	12 to
A low, dense, rounded shrub, a mass of yellow in the Spring.	18 to 2 2 to 2
9 to 12 in. Gal	VIBURNI (Shining
18 to 24 in. B	12 to 18 to 2
*UMBELLULARIA californica (California Laurel) 18 to 21 in Cal	2 to 2
18 to 24 in. Gal	12 to 1
3 to 4 ft. B or 5g	(Variega
9 to 12 in. Gal	12 to 18 to 2
12 to 18 in. Gal	XYLOSM 12 to
	- · · ·



NUS MOLLE (PEPPER TREE)

VERONICA chatamica (Creepir	16.)	
9 to 12 in. Gal	.30	.25
VERONICA cupressoides		
(Cypress Veronica)		
9 to 12 in. B	.55	.50
VERONICA hulkeana		
12 to 15 in. Gal	.30	.25
VERONICA imperialis		
9 to 12 in. Ĝal	.25	.20
12 to 18 in. B	.65	.60
VERONICA pimeloides (Buxifo	lia)	
6 to 8 in. Gal	.25	.20
12 to 15 in. B	.65	.60
15 to 18 in. B	.80	.70
VIBURNUM japonicum		
12 to 18 in. Gal	.35	.30
VIBURNUM rhytidophyllum		
(Leather Leaf Viburnum)		
12 to 18 in. Gal	.35	.30
VIBURNUM suspensum		
12 to 15 in. Gal	.30	.25
18 to 24 in. B	.85	.25 .75
VIBURNUM tinus (Laurustinus)	
12 to 18 in. Gal	.30	.25
18 to 24 in. B	.70	.65
2 to 2½ ft. B	.90	.80
VIBURNUM tinus lucidum		
(Shining Laurustinus)		
12 to 15 in. Gal	.30	.25
18 to 24 in. B	.70	.65
2 to 2½ ft. B	.90	.80
VIBURNUM tinus strictum		
12 to 15 in. Gal	.30	.25
VIBURNUM tinus variegata (Variegated Laurustinus)		
(Variegated Laurustinus)		
12 to 15 in. Gal	.30	25
18 to 24 in. B	.85	.25 .75
XYLOSMA senticosum		
12 to 18 in. Gal	.40	.35
12 to 10 m. Gal	.40	



A VIEW OF "CONIFEROUS PLANTING" AT OUR SANTA CRUZ NURSERY

CONIFEROUS TREES AND SHRUBS

more satisfactory effect than conifers. Nurserymen should use more of them. We have a fine assortment of varieties suitable for almost every situation.

	10 rate 100 rate Each Each	10 rate 100 rate Each Each
*ABIES concolor (White Fir)		*CHAMAECYPARIS lawsoniana
2 to 2½ ft. B		(Lawson Cypress) 3 to 4 ft. B
ABIES firma	1.50	4 to 5 ft. B
3 to 4 ft. B	1.50	CHAMAECYPARIS lawsoniana alumi
ABIES pinsapo (Spanish Fir) 2 to 2½ ft. B	1.50	(Blue Lawson) 2 to 2½ ft. B
CEDRUS atlantica (Mt. Atlas		2/2 to 3 ft. D
12 to 18 in. Gal	1.15 1.00 1.50	CHAMAECYPARIS lawsoniana argentea nana (Dwarf Silver Lawson) A very dwarf globular variety which
CEDRUS atlantica glauca		never burns or looks unsightly. 12 to 18 in. B
(Blue Mt. Atlas Cedar) 3 to 4 ft. B 4 to 5 ft. B 12 to 14 ft. B	2.50	CHAMAECYPARIS lawsoniana elegans (Variegated) 12 to 18 in. B
CEDRUS deodara (Himalayan 9 to 12 in. 4p. 12 to 18 in. Gal. 12 to 2½ ft. B. 3 to 4 ft. B. 4 to 5 ft. B. 4 to 5 ft. B.	20 .17½ 35 .30 1.00 .90 1.40 1.25 2.25 2.00	CHAMAECYPARIS lawsoniana erecta viridis (Green Column Cypress) 18 to 24 in. B
8 to 10 ft. B 10 to 12 ft. B	4.50 7.50	(Thread Branch Cypress) 18 to 24 in. B
CEDRUS deodara prostrata 2 to 3 ft. B	. 1.75	CHAMAECYPARIS lawsoniana nedifera (Bird Nest Cypress)
CEDRUS libani (Cedar of Lel 12 to 18 in. Gal	oanon) 40 .35	12 to 18 in. B
2 to 3 ft. B	1.15 1.00	CHAMAECYPARIS lawsoniana stuarti 18 to 24 in. B 1.15 1.00



CHAMAECYPARIS LAWS	SONIANA WISSELI
--------------------	-----------------

		100 rate
CHAMAECYPARIS lawsonian	Each a wiss	. Bach e li
18 to 24 in. B	1.00	C11
2 to 2½ ft. B	1.25	
CHAMAECYPARIS pisifera pl	umosa	aurea
(Golden Plume Cypress)		
12 to 18 in. B		
18 to 24 in. B	1.00	.85
2 to 2½ ft. B		
CHAMAECYPARIS pisifera sq	uarros	a nana
12 to 18 in. B	.85	.75
CRYPTOMERIA japonica		
(Japanese Redwood)	4.0	~ =
18 to 24 in. Gal	.40	.35
3 to 4 ft. B 5 to 6 ft. B	2.00	
CRYPTOMERIA japonica eleg (Plume Cryptomeria)	gans	
12 to 18 in. Gal	40	35
2 to 2½ ft. B	1.15	1.00
CUNNINGHAMIA lanceolata		
(Chinese Fir)		
18 to 24 in. Gal	.50	
3 to 4 ft. B	1.75	
CUPRESSUS arizonica (Arizon	ia Cyn	ress)
12 to 18 in, Qt	.20	.171/2
18 to 24 in. Gal	.30	.25
CUPRESSUS arizonica nana		
(Dwarf Arizona Cypress)		
12 to 18 in. B	1.25	

3 3 0 11	10 rate 100 rate
	Each Each
	*CUPRESSUS macrocarpa
	(Monterey Cypress) 12 to 18 in. Ot
	12 to 18 in. Qt
İ	3 to 4 ft. B
	4 to 5 ft. B
	5 to 6 ft. B
	7 to 8 ft. B
	8 to 10 ft. B 4.00
	CUPRESSUS sempervirens
	(Italian Cypress)
	12 to 18 in. Gal
	2 to $2\frac{1}{2}$ ft. Gal
	3 to 4 ft. B
	4 to 5 ft. B
	JUNIPERUS chinensis alba
	18 to 24 in. B
	2 to 2½ ft. B
	JUNIPERUS chinensis pfitzeriana
	12 to 15 in. Gal
	12 to 18 in. B
	18 to 24 in. B
,	, 2
	JUNIPERUS chinensis torulosa
	(Hollywood Juniper) 18 to 24 in. B 1.25
	JUNIPERUS communis depressa plumosa
	(Andorra Juniper)
	12 to 15 in. Gal
	JUNIPERUS communis hibernica
	(Irish Juniper)
	2 to 3 ft. B
WISSELI	JUNIPERUS excelsa stricta
ate 100 rate	(Greek Juniper)
ch Each	12 to 18 in. B
visseli	
00 25	JUNIPERUS japonica
	(Chinensis procumbens)
osa aurea	9 to 12 in. Gal
5 .75	JUNIPERUS japonica alba
0 .85	12 to 18 in. B 1.25
5 1.10	JUNIPERUS sabina (Savin Juniper)
rose nene	12 to 15 in. Gal
rosa nana 5 .75	12 to 18 in. B
., 0	18 to 24 in. B 1.15 1.00
	JUNIPERUS sabina tamariscifolia
0 .35	(Tamarix Juniper)
0	9 to 12 in. Gal
0	12 to 18 in. B
S	18 to 24 in. B
	JUNIPERUS squamata meyeri
0 .35	18 to 24 in. B
5 1.00	2 to $2\frac{1}{2}$ ft. B 1.75
	JUNIPERUS wilsoni
0	12 to 18 in. B
0	18 to 24 in. B 1.40 1.25
5	LARIX leptolepis (Japanese Larch)
Cypress)	18 to 24 in. Gal
Cypress) 0 .17½	*LIBOCEDRUS decurrens (Incense Cedar)
0 .25	12 to 18 in. Gal
	4 to 5 ft. B
_	5 to 6 ft. B
5	6 to 7 ft. B 3.00

10 rate 100 rate Each Each

LIBOCEDRUS decurrens compacta (Dwarf Incense Cedar)

A low growing dwarf variety of the Incense Cedar with very bright green foliage, a good shrub for hot locations.

18 to 24 in. B...... 1.40 1.25

DIGEN 1 (ST	•
PICEA excelsa (Norway Spruce)	
2 to $2\frac{1}{2}$ ft. B	1.00
$2\frac{1}{2}$ to 3 ft. B	1.25
PICEA pungens (Colorado Spruce)	
18 to 24 in. B 1.15	1.00
2 to 2½ ft. B 1.25	
PICEA smithiana	
2 to $2\frac{1}{2}$ ft. B	
3 to 4 ft. B	
*PINUS attenuata (Knobcone Pine)	
18 to 24 in. Gal	.35
PINUS canariensis (Canary Island Pi	ne)
2 to 3 ft. B 1.00	
3 to 4 ft. B	

*PINUS coulteri (Coulter Pine)


An exceedingly hardy and handsome pine with long needles and enormous cones.

18 to 24 in. Gal	.40	.35
3 to 4 ft. B	1.75	
4 to 5 ft. B	2.25	

PINUS excelsa (Himalayan Pine)

A beautiful variety of white pine with long soft gray green foliage, smooth glossy bark, and long narrow cones.

2 to 3 ft. B...... 1.25



VIEW OF OUR MORGAN HILL LATH HOUSE



The transference from the class of the confidence of the confidenc	
A CONIFEROUS EVERGREEN PLANTING	
10 rate 100 ra Each Each	
*PINUS jeffreyi (Jeffrey Pine) 12 to 18 in. Gal	
PINUS montana mughus (Mugho Pine)	
8 to 10 in. Gal	
12 to 18 in. B 1.15 1.00	
*PINUS monophylla (Nut Pine) 12 to 15 in. Gal	
PINUS nigra (Austrian Pine)	
12 to 18 in. Gal	
PINUS pinea (Italian Stone Pine) 3 to 4 ft. B	
*PINUS ponderosa (Western Yellow Pine 18 to 24 in. Gal	:)
*PINUS radiata (Monterey Pine)	
12 to 18 in. Qt	/2
18 to 24 in. Gal	_
$2\frac{1}{2}$ to 3 ft. Gal	
3 to 4 ft. B	
4 to 5 ft. B	
5 to 6 ft. B	
8 to 10 ft. B 4.50	
PINUS sylvestris (Scotch Pine) 9 to 12 in. Gal	
*PINUS torreyana (Torrey Pine)	
4 to 5 ft. B	
PODOCARPUS macrophylla	
12 to 18 in. Gal	
*PSEUDOTSUGA douglasi (Douglas Fir)
3 to 4 ft. B	
5 to 6 ft. B	
RETINOSPORA ericoides	
12 to 18 in. B	

RETINOSPORA leptoclada

*SEQUOIA gigantea (California Big Tree) 10 to 12 in. Gal	THUJA orientalis berckmani (Dwarf Golden) 9 to 12 in. B	e
SEQUOIA gigantea pendula (Weeping Giant Sequoia) 18 to 24 in. B	THUJA orientalis compacta 12 to 18 in. B	
*SEQUOIA sempervirens (Coast Redwood) 12 to 15 in. Qt	2 to 2½ ft. B	
TAXODIUM distichum (Swamp Cypress) 3 to 4 ft. Gal	*TORREYA californica (California Nutmeg) Dark green, shining foliage, symmetrical habit, should be more used as a specimen tree. 8 to 10 in. Gal	



AN ATTRACTIVE CONIFEROUS PLANTING



STREET PLANTED TO THE PLATANUS ORIENTALIS (EUROPEAN SYCAMORE)

DECIDUOUS TREES AND SHRUBS

this group which should be used more in California; some with gorgeous flowers in the Spring or Summer and others with red berries or colored foliage in the Fall and Winter.

10 rate 100 rate Each Each	10 rate 100 rate Each Each
ACER japonicum (Japanese Maple)	BETULA alba laciniata Each Each
$\frac{2}{2}$ to $\frac{21}{2}$ ft. Gal	(Cut Leaf Weeping Birch)
4 to 5 ft. 5g	3 to 4 ft. B. R
*ACER macrophyllum (California Maple)	4 to 6 ft. B. R
2 to $2\frac{1}{2}$ ft. Gal	6 to 8 ft. B. R
6 to 8 ft. 5g 1.00	8 to 10 ft. B. R 1.50
ACER saccharinum (Silver Maple)	CAESALPINIA gilliesi (Bird of Paradise)
4 to 6 ft. B. R	12 to 18 in. Gal
6 to 8 ft. B. R	*CALYCANTHUS occidentalis
*AESCULUS californica (Buckeye)	(Western Sweet Shrub)
12 to 18 in. Gal	2 to $2\frac{1}{2}$ ft. Gal
ALBIZZIA julibrissin (Pink Acacia) 9 to 12 in. Gal	3 to 4 ft. 5g
*ALNUS rubra (Alder)	CARYOPTERIS incana (Blue Spirea)
18 to 24 in. Gal	18 to 24 in. Gal
ASIMINA triloba (Paw Paw)	CEANOTHUS Marie Simon (Pink)
2 to 3 ft. Gal	12 to 18 in. Gal
BERBERIS thunbergi (Japanese Barberry)	CELASTRUS orbiculatus (Bittersweet)
12 to 18 in. Gal	18 to 24 in. Gal
BERBERIS thunbergi atro-purpurea	CERCIS canadensis (Eastern Red Bud)
(Purple Leaf Barberry)	12 to 18 in. Gal
12 to 15 in. Gal	CERCIS chinensis (Chinese Red Bud)
BETULA alba (European White Birch)	12 to 18 in. Gal
3 to 4 ft. B. R	*CERCIS occidentalis (Western Red Bud)
4 to 6 ft. B. R	9 to 12 in. Gal
6 to 8 ft. B. R	2 to 3 ft. 5g 1.00
o to 10 It. D. R 1.00 .05	

10 rate 100 rate Each Each	CONTRACTOR BOOK OF THE PROPERTY OF THE PROPERT
*CHILOPSIS linearis (Desert Willow)	
12 to 18 in. Gal	
3 to 4 ft. 5g	
CHIONANTHUS virginica (White Fringe) 12 to 18 in. Gal	
*CORNUS californica (Creek Dogwood) 12 to 18 in. Gal	
CORNUS florida (Flowering Dogwood) 2 to 2½ ft. Gal	
CORNUS florida rubra (Red Flowering Dogwood) 2 to 3 ft. 5g	
*CORNUS nuttali (Pacific Dogwood) 12 to 18 in. Gal	
CRATAEGUS carrieri (Large Berried Hawthorne)	
4 to 6 ft. B. R	
CRATAEGUS cordata (Washington Thorn) 4 to 6 ft. B. R	
CRATAEGUS oxycantha (Hawthorne)	HYDRANGEA HORTENSIS
(Pauls Scarlet, Dbl. Pink, Dbl. White) 3 to 4 ft. B. R	10 rate 100 rate Each Each
4 to 6 ft. B. R	GINKGO biloba (Maidenhair Tree)
6 to 8 ft. B. R	18 to 24 in. Gal
CYDONIA japonica (Flowering Quince) (Blood Red, Corallina, Pink, Red)	4 to 5 ft. 5g
12 to 18 in. Gal	HYDRANGEA hortensis, hortensis varie-
DEUTZIA scabra plena 2 to 3 ft. Gal	gata, nigra
DIERVILLA Eva Rathke	12 to 15 in. Gal
(Crimson Weigela)	KERRIA japonica (Japanese Rose) 2 to $2\frac{1}{2}$ ft. Gal
18 to 24 in. Gal	KOELREUTERIA paniculata
DIERVILLA rosea (Pink Weigela)	(Goldenrain Tree)
18 to 24 in. Gal	2 to 3 ft. Gal
3 to 4 ft. 5g	KOLKWITZIA amabilis (Beauty Bush) 12 to 18 in. Gal
DIERVILLA rosea variegata (Variegated Weigela)	3 to 4 ft. 5g 1.00
12 to 18 in. Gal	LABURNUM vulgare (Golden Chain)
2 to 3 ft. 5g	12 to 18 in. Gal
ELAEAGNUS angustifolia	(Crepe Myrtle Dwarf Lavender)
(Russian Olive) 18 to 24 in. Gal	12 to 15 in. Gal
ERYTHRINA crista galli (Coral Tree)	LAGERSTROEMIA indica (Crepe Myrtle Pink)
18 to 24 in. Gal	12 to 18 in. Gal
EXOCHORDA grandiflora (Pearl Bush) 12 to 18 in. Gal	3 to 4 ft. 5g
FORSYTHIA suspensa (Golden Bell)	18 to 24 in. Gal
18 to 24 in. Gal	LIQUIDAMBAR styraciflua (Sweet Gum)
FRAXINUS velutina (Modesto Ash)	This variety takes on a more showy
One of the very best shade trees,	Fall coloring than any other in California. 18 to 24 in. Gal
especially for the warmer sections. The	4 to 5 ft. 5g
Ash and more glossy. Makes a very	LIRIODENDRON tulipifera (Tulip Tree)
shapely and attractive tree. 3 to 4 ft. B. R	18 to 24 in. Gal
3 to 4 ft. B. R	*OSMARONIA cerasiformis (Oso Berry) 6 to 9 in. Gal
*FRAXINUS velutina (Arizona Ash) 3 to 4 ft. Gal	PHILADELPHUS coronarius (Mock Orange)
υ το ετι. Θαι	18 to 24 in. Gal

10 rate 100 rate Each Each		0 rate 1 Each	00 rate Each
*PHILADELPHUS gordonianus	*ROMNEYA coulteri (Matilija	Poppy	r)
(Western Mock Orange)	9 to 12 in. 4p and Qt	.30	.25
18 to 24 in. Gal	12 to 18 in. Gal	.45	.40
PHILADELPHUS virginal (Dbl. Mock Orange)	2 to $2\frac{1}{2}$ ft. 5g	1.00	
18 to 24 in. Gal	SALIX babylonica (Weeping W	illow)	
PLATANUS orientalis	4 to 6 ft. B. R.	.45	.40
(European Sycamore)	6 to 8 ft. B. R	.55	.50
4 to 6 ft. B. R	8 to 10 ft. B. R	./5	.70
6 to 8 ft. B. R	SALIX babylonica annularis		
8 to 10 ft. B. R	(Ring Leaf Willow) 4 to 6 ft. B. R	55	.50
(California Sycamore)	6 to 8 ft. B. R	.65	.60
3 to 4 ft. B. R	8 to 10 ft. B. R	.85	.75
4 to 6 ft. B. R	*SAMBUCUS glauca (Elderberr	\mathbf{v})	
6 to 8 ft. B. R	12 to 15 in. Gal	.35	.30
POPULUS alba nivea (Silver Poplar)	SPIRAEA Anthony Waterer	(Red)	
6 to 8 ft. B. R	12 to 18 in. Gal	.30	.25
8 to 10 ft. B. R	*SPIRAEA douglasi (Pink)		
POPULUS eugenei (Carolina Poplar)	18 to 24 in. Gal	.35	.30
4 to 6 ft. B. R	SPIRAEA prunifolia (Bridal W	reath)	
6 to 8 ft. B. R	18 to 24 in. Gal		.25
POPULUS nigra italica (Lombardy Poplar)	3 to 4 ft. 5g	.85	
2 to 3 ft. B. R	SPIRAEA reevesiana	20	25
3 to 4 ft. B. R	18 to 24 in. Gal	.30	.25
4 to 6 ft. B. R	SPIRAEA thunbergi 12 to 18 in. Gal	20	25
6 to 8 ft. B. R		.30	.25
8 to 10 ft. B. R	SPIRAEA trichocarpa (Korean 18 to 24 in. Gal	Spirea	.25
PUNICA granatum	SPIRAEA Van Houttei	.50	0
(Flowering Pomegranate) (Dbl. Ped and Mme Logralle Variogated)	18 to 24 in. Gal	30	.25
(Dbl. Red and Mme. Legrelle Variegated) 2 to $2\frac{1}{2}$ ft. Gal	*SYMPHORICARPOS racemos		0
3 to 4 ft. 5g	(Snowberry)	,us	
*QUERCUS kellogi (Black Oak)	12 to 18 in. Gal	.35	.30
18 to 24 in. Gal	SYMPHORICARPOS vulgaris		
*QUERCUS lobata	(Indian Currant)		
(Valley Oak, White Oak)	18 to 24 in. Gal	.35	.30
18 to 24 in. Gal	SYRINGA (Lilac)		_
QUERCUS palustris (Eastern Pin Oak)	Grafted choice French varieties	doubl	e and
12 to 15 in. Gal	single 18 to 24 in	15	.40
QUERCUS rubra (Eastern Red Oak)	2 to 3 ft		.60
4 to 5 ft. 5g 1.00	SYRINGA chinensis nana		•00
RHUS cotinus (Smoke Tree)	(Dwarf Chinese Lilac)		
12 to 18 in. Gal	12 to 18 in. Gal	.35	.30
*RIBES aureum (Golden Currant)	SYRINGA persica laciniata		
18 to 24 in. Gal	(Cut Leaf Persian Lilac)		
*RIBES_sanguineum	12 to 18 in. Gal	.35	.30
(Red Flowering Currant)	TAMARIX africana		- 0
18 to 24 in. Gal	4 to 6 ft. B. R	.55	.50
*RIBES speciosum	TAMARIX pentandra (Summer		
(Fuchsia Flowered Gooseberry)		.30	.25
Blooms in Winter and early Spring,		.55	.50
brilliant Fuchsia like, crimson flowers.	ULMUS pumila (Chinese Elm)	2 5	20
12 to 18 in. Gal	3 to 4 ft. Gal 4 to 6 ft. B. R	.35 .45	.30
2 to 2½ ft. 5g 1.00		.60	.55
ROBINIA hispida macrophylla	8 to 10 ft. B. R	.85	.75
(Rose Locust)	VIBURNUM americanum		
5 to 6 ft. (Standards) 1.25	18 to 24 in. Gal	.35	.30
ROBINIA pseudoacacia decaisneana			10.0
(Pink Locust)	VIBURNUM opulus sterile (Sno 12 to 18 in. Gal		
4 to 6 ft. B. R	VIBURNUM tomentosum	.00	
8 to 10 ft. B. R	(Japanese Snowball)		
10 to 12 ft. B. R 1.15 1.00	12 to 18 in. Gal	.35	.30

FLOWERING FRUIT TREES

We have made a specialty of flowering fruit trees and have an extremely large and varied assortment of worthwhile varieties. The flowering trees are becoming more popular every year and you should stock a complete assortment of them. Our trees are grown in a section free from Peach Root Borer and may be shipped anywhere.

FLOWERING ALMONDS

10 rate 100 rate Each Each

	JS communis n	ana	Each
(Dbl. Pink	Dwarf Flower	ing Al	mond)
2 to 3 ft.	B. R	.35	.30
3 to 4 ft.	B. R	.40	.35

FLOWERING PEACHES

AMYGDALUS persica (Flowering Peach)

Burbank (Dbl. Pink), Camelliaflora (Dbl. Red), Dbl. Cerise, Early Dbl. Red, Clara Meyer (Dbl. Pink), Genbei (Variegated Pink and White), Late Dbl. Red, San Jose Early Pink, Dbl. White.

3	to	4	ft.	В.	R	.35	.30
4	to	6	ft.	В.	R	.40	.35

AMYGDALUS persica nana

MALUS atrosanguinea (Carmine Crab)

FLOWERING APPLES

and the second s	0.4	2)
3 to 4 ft. B. R 4 to 6 ft. B. R		
MALUS floribunda (Japanese Flowering Crab)		
3 to 4 ft. B. R. 4 to 6 ft. B. R.		
MALUS floribunda purpurea (Peter to 6 ft. B. R.		
MALUS halliana parkmani (Kaid 4 to 6 ft. B. R		
MALUS ioensis plena (Bechtels	Crab)
2 to 3 ft. B. R	.35	.30
3 to 4 ft. B. R	.45	.40

FLOWERING PLUMS AND APRICOTS

PRUNUS Mme. Dorborn

(Large Dbl. Pink Flowering Apricot) Flowers on this variety are large, soft pink, and very fragrant.

3	to	4	ft.	В.	R	.40	.35
4	to	6	ft.	В.	R	.50	.45




	10 rate	100 rate
		Each
PRUNUS moseri	Buch	Bach
(Durolo Loof Did Did Di		- D4
(Purple Leaf Dbl. Pink Flow	ering	Plum)
3 to 4 ft. B. R.	35	.30
4 to 6 ft. B. R	.45	.40
6 to 8 ft. B. R	.65	-
	.03	.60
PRUNUS mume		
(Dawn Flowering Apricot)		
2 to 2 ft D D	2.0	2 =
2 to 3 ft. B. R.	.30	.25
3 to 4 ft. B. R		.35
PRUNUS mume (Red Flowering 3 to 4 ft. B. R.		
3 to 4 ft D D	mg)	a w
3 to 4 ft. B. R	.40	.35
4 to 6 ft. B. R	.50	.45
PRUNUS pissardi (Purple Lea	t Di	
3 to 4 ft D D	r Plui	m)
3 to 4 ft. B. R.	.35	.30
4 to 6 ft B. R	.45	.40
6 to 8 ft. B. R	.65	.60
PRUNUS triloba		•
FRUNUS trilopa		
(Double Pink Flowering Plum	n) —	
oto 4 ft. B. R.	35	.30
4 to 6 ft. B. R	.45	.40
		• 10
PRUNUS vesuvius		
3 to 4 ft. B. R	.40	.35
FLOWERING CHER	ΡV	
	T/ T	
J. H. VEITCH Double Rose		
3 to 4 ft. B. R	.50	.45
4 to 6 ft. B. R	.65	.60
	• (7 6)	. () ()

ULIMPING MIS II	M	L114
·	0 rate Each	100 rat Each
AKEBIA quinata 18 to 24 in. Gal	.30	
AMPELOPSIS quinquefolia (Virginia Creeper) 9 to 12 in. Qt	.20	.17½ .25
AMPELOPSIS sempervirens (Evergreen Boston Ivy) 18 to 24 in. Gal	.35	.30
AMPELOPSIS tricuspidata (Bo 12 to 18 in. Qt 18 to 24 in. Gal	ston .20	Ivy) .17 ½
AMPELOPSIS tricuspidata low (Geranium Creeper) 12 to 18 in. Gal		.30
BIGNONIA buccinatoria (Cher (Blood Red Trumpet Vine) 18 to 24 in. Gal	ere)	
BIGNONIA grandiflora (Chinese Trumpet Vine) 18 to 24 in. Gal	.40	.35
BIGNONIA unguis cati (Tweed (Yellow Trumpet)	diana)
12 to 18 in. Qt	.25 .35	.20 .30
BOUGAINVILLEA spectabilis 18 to 24 in. Gal	.40	.35



AMPELOPSIS QUINQUEFOLIA (VIRGINIA CREEPER)



FICUS PUMILA (CLIMBING	FIG)	
	0 rate Each	100 rate Each
CERATOSTIGMA plumbaginoi (Dwarf Plumbago)		
6 to 9 in. Qt	.20	.15
CLEMATIS montana (Anemone 18 to 24 in. Gal	e Clei	matıs)
CLEMATIS paniculata	.30	.40
(Sweet Autumn Clematis) 12 to 18 in. Gal	.30	.25
DOLICHOS lignosus (Australian Pea Vine)		
12 to 18 in. Gal		
EUONYMUS radicans (Winter 12 to 15 in. Gal	Creep 30	er) 25
EUONYMUS radicans variegata		.23
12 to 15 in. Gal	.30	.25
FICUS pumila (Repens) (Climbi	ng F	ig)
9 to 12 in. 4p 12 to 18 in. Gal	.20	$.17\frac{1}{2}$
GELSEMIUM sempervirens	.50	.23
(Carolina Jasmine)		
18 to 24 in. Gal	.35	.30
HEDERA helix (English Ivy)	.20	15
12 to 18 in. Qt 18 to 24 in. Gal	.30	
HEDERA helix dentata aurea		
(Large Leaf Variegated Ivy)	20	17.7
~	.20	.17 ½ .25
HEDERA helix emerald gem	.50	.23
(Small Leaf Green Ivy)		
18 to 24 in. Gal	.30	.25
HEDERA helix (Hahn's Self Branching Ivy) 18 to 24 in. Gal	.30	.25
HEDERA helix maderensis		
(Large Leaf Silver Variegated		1777
12 to 18 in. Qt 18 to 24 in. Gal	.20 .30	.17½ .25

	10 rate Each	100 rate Each
HEDERA helix variegata Small Leaf Variegated)		
12 to 18 in. Qt	.20 .30	.17 ½ .25
HELIANTHEMUM (Sun Ros	e)	
Apricot, Bronze, Red, White, Red.		
6 to 9 in. 3p	.15	$.12\sqrt{2}$
HYPERICUM calycinum		
(Creeping St. John's Wort) 6 to 9 in. Qt	.20	.15
IASMINUM floridum		
18 to 24 in. Gal	.35	.30
JASMINUM grandiflorum (Spanish Jasmine)		
18 to 24 in. Gal		
JASMINUM hackenia (Dwarf 9 to 12 in. Gal	Jasmu 30	1e) 25
JASMINUM humile (Italian Ja	.smine	e)
12 to 18 in. Gal	.30	.25
JASMINUM nudiflorum (Winte 12 to 18 in. Gal	r Jası .30	nine) .25
JASMINUM officinalis (White 18 to 24 in. Gal	Jasmi	ne)
JASMINUM primulinum	.00	
(Primrose Iasmine)	20	25
18 to 24 in. Gal	.su - Tasn	.23 (nine
18 to 24 in. Gal	.35	.30
*LONICERA californica		
(California Honeysuckle) 12 to 18 in. Gal	.35	.30
LONICERA japonica		
— (Hall's Japanese Honeysuckle	.) 	171/
12 to 18 in. Qt 18 to 24 in. Gal	.30	.17 ½ .25
LONICERA japonica aureoreti	iculata	l
(Golden Honeysuckle) 18 to 24 in. Gal	.30	.25
LONICERA japonica chinensis		
(Chinese Honeysuckle)		17 1/
12 to 18 in. Qt 18 to 24 in. Gal	.30	.25
MANDEVILLEA suaveolens		
(Chile Jasmine) 18 to 24 in. Gal	35	30
*MICROMERIA chamissonis	.00	.50
(Verba Ruena)		
9 to 12 in. Qt	.25	.20
PACHYSANDRA terminalis		
(Japanese Spurge) 6 to 9 in. Qt	.20	.15
~		



HEDERA (ENGLISH IVIES)

HEDERA (ENGLISH IVI	ES)	
1	0 rate : Each	100 rate Each
PASSIFLORA incarnata (Passion 18 to 24 in. Gal	on Vii 30	ne) 25
PASSIFLORA manicata (Scarlet Passion Vine)	.00	0
12 to 18 in. Gal	.40	.35
PASSIFLORA mollissima (Pink Passion Vine)		
18 to 24 in. Gal	.35	.30
PLUMBAGO capensis 12 to 18 in. Gal	.30	.25
SOLANUM jasminoides (Potato 12 to 18 in. Gal	Vine	.25
SOLLYA heterophylla (Australian Blue Bell)		,
9 to 12 in. Qt	.20	.17½ .25
TECOMA capensis		
12 to 18 in. Gal		
TRACHELOSPERMUM jasmi (Star Jasmine)		5
18 to 24 in. Gal	.40	.35
VITIS capensis (Evergreen Gra 18 to 24 in. Gal	pe) .40	.35
WISTERIA multijuga (Blue, Pink, Purple, White)		
2 to 3 ft. B. R	.50	





AGAVES, BAMBOOS AND PALMS


features of the California landscape; and are especially in demand now when there are so many houses of the Spanish and Mission type of architecture being constructed.

. 10 rate 100 rate Each Each	10 rate 100 rate Each Each
AGAVE americana variegata (Century Plant) 9 to 12 in. Gal	2 to 3 ft. Gal
ARUNDO donax variegata (Giant Reed) 4 to 5 ft. 5g 1.00	CYPERUS papyrus (Papyrus) 2 to 3 ft. Gal
BAMBOO dwarf (Arundinaria pumila) 6 to 9 in. Gal	MUSA ensete (Abyssinian Banana) 2 to 2½ ft. Gal
BAMBOO broad leaf (Bambusa palmata) 2 to 3 ft. 5g	PHOENIX canariensis (Canary Date Palm) 9 to 12 in. Gal
BAMBOO metake (Arundinaria japonica) 4 to 5 ft. 5g	PHORMIUM tenax (New Zealand Flax) 3 to 4 ft. 5g
BAMBOO golden (Phyllostachys aurea) 2 to 3 ft. Gal	PHORMIUM tenax variegata 2 to 3 ft. 5g
BAMBOO giant (Dendrocalamus strictus)	TRACHYCARPUS excelsa (Windmill Palm) 12 to 15 in. Gal
This, the true giant Bamboo, will grow over fifty feet in height and make canes three or four inches in diameter.	*WASHINGTONIA filifera (California Fan Palm) 12 to 15 in. Gal
CORDYLINE australis (Dracaena Palm)	*YUCCA arborescens (Joshua Tree) 6 to 9 in. Gal
18 to 24 in. Gal .30 .25 3 to 4 ft. B 1.15 1.00 4 to 5 ft. B 1.75 1.60 5 to 6 ft. B 2.25 2.00	YUCCA filamentosa 6 to 9 in. Gal
6 to 8 ft. B	*YUCCA whipplei (Spanish Bayonet) 6 to 9 in. Gal

LINING OUT STOCK

In order to produce strong, thrifty plants, it is necessary to have the young "Lining Out" stock come to you in a clean healthy condition. All our stock in this class is young and thrifty, with a fibrous root system produced under the most favorable conditions.

	10 rate 100 ra te Each Each		.0 rate 100 rat Each Each
ABELIA grandiflora 4 to 6 in. $2\frac{1}{4}$ p	.08	JUNIPERUS japonica (Chinensis procumbens) 4 to 6 in. 2½p	.10
*ARBUTUS menziesi 4 to 6 in. 2 ¹ / ₄ p	.12	JUNIPERUS sabina tamariscifor 4 to 6 in. 2 ¹ / ₄ p	
ARBUTUS unedo 4 to 6 in. 2 ¹ / ₄ p	.08	LEPTOSPERMUM laevigatum 4 to 6 in. $2\frac{1}{4}$ p	.08
BERBERIS knighti 4 to 6 in. 2 ¹ / ₄ p	.08	LIGUSTRUM ovalifolium aurea 4 to 6 in. 2 ¹ / ₄ p	a .08
BERBERIS thunbergi 4 to 6 in. 2 ¹ / ₄ p	.08	*MAHONIA aquifolium $2 \text{ to } 4 \text{ in. } 2\frac{1}{4}p$.08
CALLISTEMON rigidus 4 to 6 in. 2 ¹ / ₄ p	.08	*MAHONIA pinnata 2 to 4 in. 2 ¹ / ₄ p	.12
CEDRUS deodara 4 to 6 in. 2 ¹ / ₄ p	.10	MYRTUS communis 4 to 6 in. 2 ¹ / ₄ p	.08
4 to 6 in. 2 ¹ / ₄ p	.10	MYRTUS communis compacta 2 to 4 in. 2 ¹ / ₄ p	.08
CHAMAECYPARIS lawsoniana viridis	erecta	NANDINA domestica 4 to 6 in. 2 ¹ / ₄ p	.08
4 to 6 in. $2\frac{1}{4}$ p		NERIUM Dbl. Pink, Dbl. Salmon, Single	White
CHAMAECYPARIS pisifera plu 4 to 6 in. 2½p	imosa aurea .10	4 to 6 in. 2½p* *PHOTINIA arbutifolia 2 to 4 in. 2½p	.08
CHOISYA ternata 4 to 6 in. 2 ¹ / ₄ p CHORIZEMA ilicifolia	.10	PHOTINIA serrulata nova 4 to 6 in. $2\frac{1}{4}$ p	.10
4 to 6 in. 2½p COTONEASTER heroveana	.08	PITTOSPORUM tenuifolium 4 to 6 in. 2 ¹ / ₄ p	.08
3 to 4 in. $2\frac{1}{4}$ p COTONEASTER horizontalis 3 to 4 in. $2\frac{1}{4}$ p	.08	PITTOSPORUM tobira 4 to 6 in. 2½p	.08
COTONEASTER microphylla 4 to 6 in. 2½p	.08	POLYGALA dalmaisana 4 to 6 in. 2 ¹ / ₄ p	.08
COTONEASTER pannosa 4 to 6 in. 2½p	.08	PYRACANTHA coccinea lalandi 4 to 6 in. 2 ¹ / ₄ p	.08
COTONEASTER rotundifolia (F 4 to 6 in. $2\frac{1}{4}$ p	Prostrata) .10	PYRACANTHA crenulata 4 to 6 in. 2 ¹ / ₄ p	.08
CRYPTOMERIA japonica eleg	ans .10	PYRACANTHA crenulata yunna 4 to 6 in. 2½p	anensis .08
CUPRESSUS sempervirens 4 to 6 in. 2½p	.10	RETINOSPORA leptoclada 4 to 6 in. $2\frac{1}{4}$ p	.10
CYTISUS racemosa 4 to 6 in. 2 ¹ / ₄ p	.08	*SEQUOIA sempervirens 4 to 6 in. $2\frac{1}{4}$ p	.10
HYPERICUM moserianum 4 to 6 in. 2½p	.08	TAXUS baccata 6 to 8 in. $2\frac{1}{4}$ p	.12
JUNIPERUS chinensis pfitzeria 4 to 6 in. 2 ¹ / ₄ p	ana .10	THUJA occidentalis pyramidalis 4 to 6 in. 2½p	.10
JUNIPERUS communis depressa 4 to 6 in. 2½p	plumosa .10	THUJA orientalis compacta 4 to 6 in. 2½p	.10
JUNIPERUS communis hibernica 4 to 6 in. 2½p	a .10	THUJOPSIS dolobrata variegata 4 to 6 in. 2½p	.10



PRUNES PEARS CHERRIES
THREE VIEWS OF "FRUIT TREES" AT OUR BRENTWOOD NURSERY

FRUIT AND NUT TREE DEPARTMENT

Our stock of fruit trees this year is unusually fine. We have all the varieties which should be included in home orchard plantings. Our fruit trees are all grown near Brentwood in Contra Costa County where conditions are uenxcelled for the gorwing of QUALITY stock. This section is absolutely free from "Peach Root Borer" and our stock can be shipped anywhere.

PRICES ON FRUIT TREES

	- 100 rat Each
3 to 4 ft. 3/8" to 1/2" Cailper 4 to 6 ft. 1/2" to 11/16" Caliper	.15
6 to 8 ft. 11/16" up Caliper Figs 5c higher	.25

APPLES

Alexander, Baldwin, Black Ben Davis, Delicious, Early Harvest, Golden Delicious, Gravenstein, Grimes Golden, Jonathan, King David, Northern Spy, Red Astrachan, Red Delicious, Red June, Red Pearmain, Rhode Island Greening, Rome Beauty, Skinner Seedling, Spitzenburgh, Stayman's Winesap, W. W. Pearmain, White Astrachan, Winter Banana, Yellow Bellflower, Y. N. Pippin, Yellow Transparent, Hyslop Crab, Transcendent Crab, Yellow Siberian Crab.

APRICOTS

Blenheim, Early Newcastle, Hemskirke, Moorpark, Peach, Royal, Tilton.

FIGS


Black Mission, Kadota.

CHERRIES

Bing, Black Republican, Black Tartarian, Burbank, Chapman, Early Richmond, Lambert, Mayduke, Royal Anne.

NECTARINES

Boston, Diamond Jubilee, Gold Mine, Gower, Quetta, Stanwick.



APPLES



BLENHEIM APRICOTS

PEACHES—Freestone

Alexander, Brigg's May, Decker, Early Crawford, Early Elberta, Elberta, Fay Elberta, Florence, Foster, Golden Jubilee, Hale's Early, Ideal, J. H. Hale, Krummel, Late Crawford, Leeton, Lovell, Lyman's Late, Maxine, Mayflower, Muir, Opulent, Pattison, Peregrine, Salway, Strawberry, Triumph, Vainquer, Yellow St. John.

PEACHES—Clingstone

Guame, Halford, Palora, Peak, Phillips, Sims, Tuscan, White Heath.

PEARS'

Bartlett, Beurre Bosc, Beurre Clairgeau, Beurre D'Anjou, Beurre Hardy, Dana's Hovey, Doyenne Du Comice, Easter Beurre, Glout Morceau, P. Barry, Seckel, Winter Bartlett, Winter Nelis.

ESTABLISHED 1878

LEONARD COATES NURSERIES

INCORPURATED

Grances and Distributors of SUPI RIOR QUALITY Nursery Stock

2201 2205 HH MAMIDA Ser Jose, Caldonna

PLUMS

Apex Plumcot, Beauty, Burbank, Climax, Eldorado, Fellenberg, German, Green Gage, Hungarian, Jefferson, Kelsey, King of Damsons, Methley, President, Santa Rosa, Satsuma, Stanford Plumcot, Tragedy, Washington, Wickson, Yellow Egg.

PRUNES

Burton, Coates 1418, Imperial, Improved French, Robe de Sargent, Standard, Stuart, Sugar.

QUINCE

Pineapple, West's Mammoth.

ALMONDS

Drake, I X. L., Jordan, Long I X L., Nonpareil, Ne Plus Ultra, Texas Prolific.

LOQUATS

20000	
Champagne	
2 to 3 ft. B	.85
3 to 4 it. 5g	1.25
MESPILUS (Med'ar) _, .
3 to 4 ft. B. R	(51)
4 to 6 it B. R	.60
POMEGRANATE	
Wonderful	
3 to 4 ft. B R	.30
MULBERRY //	
Persian #	
o to 4 it. B. R	.50
4 to o it. B R	(6)
CHESTNUT	
Italian	
	8 / -



CHEPRIES